# Performance Modeling and Analysis for Software Integration

Kang G. Shin
Real-Time Computing Laboratoty
Department of EECS
The University of Michigan
Ann Arbor, MI 48019-2122





## What makes SW building so hard?

- Getting too big
- Requiring too many things
- Omnipresent, especially mission- and safetycritical embedded applications
- Very long-lived, e.g., aircraft, so evolves over a long period
- Difficult to model system, analyze, test/verify model-generated or hand-coded SW against real system requirements






## Promising Technologies

- Software synthesis
  - Component/model integration
  - Model-based code generation
- Heterogeneous *modeling* 
  - Different models used for different development phases
- System analysis
  - Focuses on design-time analysis
  - Tries to analyze both functionality and *performance*
  - Verifies correctness by analysis instead of simulation





## **Software Integration Process**



#### Technical Barriers


- Only functional specification is available at design time
- Performance depends on
  - system structure
  - implementation
  - platform
- Heterogeneous models/tools
- Little performance information available before prototyping

#### Performance model


- Usable with different functional models
- Used for analyses at all development phases



## Why Performance Model?




- No performance check at each step
- Errors detected at the end
- Long development cycle



- Performance check at *each* step
- Performance issues first resolved locally (within each step)
- Shorter development cycle

### **A Possible Solution**



- 1. Associate performance information with components
- 2. Construct a hierarchical performance model corresponding to the system model



## Sample Issues

- What is essential performance information?
  - Application requirements
  - Infrastructure capability
- How to represent performance information?
  - Modeling methods
  - Specification languages, e.g., aspect-oriented?
- How to support SW development with performance information?
  - Design-time: component selection & integration, platform configuration, attribute tradeoff analysis, change propagation



Runtime adjustment: reconfiguration, attribute adaptation.

